

Flat voice and data plate with dust cover for 2 RJ45 Infra+® for 1 element graphite Simon 500 Cima

REF. 50015089-038



BASIC INFORMATION

DESCRIPTION

This is a flat base plate of voice and data designed for 2 connectors Infra + ® RJ45 for 1 element has finished in graphite and includes a dust cover for a better maintenance. The piece measures 50x50x11 mm and is manufactured in halogen-free thermoplastic material. Thanks to its special manufactured in compliance with the regulation, guarantees maximum security in case of fire, as prevents extend the flame and also the high toxicity having smoke. The plate allows a maintenance is very simple, as it is only necessary to give light passages with a soft and dry suede. The adapter module is included, but not RJ45 connectors. This product is included in the Simon 500 Cima series, an innovative collection that keeps its commitment to the workplace solutions of the spaces. Moreover, its parts, offering a click terminal connection, improving and streamlining its installation.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

Infra+® RJ45 connectors.

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Infra+® RJ45 connectors

SNAP-FIT TYPE

Infra+® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053096871

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.18

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

1.8

PRODUCT NET WEIGHT

0.18

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

