# HDMI connector type A female with trim plate white Simon K45

REF. **K129B/9**



## BASIC INFORMATION

### DESCRIPTION

This HDMI connector type A female of the series Simon K45 is designed with top quality materials and features a beautiful and classic finished in white colour. With measures 22.5 x 45 mm, it requires a type of female-female rocker operation. In terms of the maximum recommended length of cabling, varies between 5 metres for category 1 patch cords and 12 metres for category 2 patch cords. The Simon K45 HDMI connector is the individual version of the product to one or two elements, in addition, it is only a module, and can be installed in surface-mounted or flush-mounted. It is made of metal components with self-extinguishing thermoplastic insulation and halogen free, enabling high and low temperatures, optimising the security in its use. It is recommended to clean the product with a clean and soft dry cloth, always avoiding abrasive cleaners that contain chemical, such as chlorine.

### FINISH

White

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

### PACKAGING CONTENTS

Female type-A HDMI connector and instruction sheet

### ETIM CLASS

EC000018

### REMARKS

Maximum wire length recommended; 5 metres for category 1 patch cords (video streaming up to 720p or 1080i) and 12 metres for category 2 patch cords (video streaming at 1080p or higher). For additional information, please read the product instruction sheet

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### REVISION

+34 2.0

### CONNECTOR TYPE

HDMI

### NUMBER OF POSSIBLE ELEMENTS

1/2 element

### FORMAT

HDMI

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### RAL

9003

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

# LOGISTICS INFORMATION

UNITARY EAN CODE
8426436064812

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.025

PRODUCT NET WEIGHT
0.025

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436064812

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.105

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.198

PACKAGING NET WEIGHT
0.025

PACKAGING WEIGHT UNIT
KGM