

Duplex power socket 2P+T with safety with plate 15A 127V white Simon 25 Plus

REF. 25424-60



BASIC INFORMATION

FINISH

White

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

15 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

127/220 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

7506207313026

UNITARY PACKAGING GROSS
WEIGHT

97.97

PACKAGING LENGTH

303

UNITARY PACKAGING HEIGHT

41.6

PRODUCT NET WEIGHT

97.97

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

75.5

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

3.845

UNITARY PACKAGING LENGTH

114.6

PACKAGING EAN

7506020304089

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

12

PACKAGING GROSS WEIGHT

1.176

UNITARY PACKAGING VOLUME

0.36

PACKAGING HEIGHT

135

PACKAGING NET WEIGHT

1175.64

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING WIDTH

94

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Incluye Placa, mecanismo(s) y chasis

DIAGRAMA DE CONEXIÓN

