

Spotlight 640.31 Surface mount NW Spot White

REF. 64031030-284



BASIC INFORMATION

DESCRIPTION

Element for lighting Of work spaces interiors reference number 64031030-284, model Professional range of the spotlight 640 compatible for surface mount installation. It is a spotlight for Surface-mounted category B with great technical features values, has a type Lighting of colour NW and values of class SPOT optics, provides a brightness Stable and high performance for work professionals. It has an electric control of the Type ON-OFF with values of power up to 16W, on the other hand, it has a Dimensions of 145x100 () mm, ideal for small surfaces, colour, shades and finishes In white.

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CRI

80

LUMENS (LM)

1400 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

1400 lm/16W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

type 1

OPTICS

Spot

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25° C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

4000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

16 W

CONTROL

On/Off

COLOR TYPE

NW

SERVICE LIFE

50.000 h

LIGHTING EFFICIENCY (LM/W)

88 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053141014

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.938

PRODUCT NET WEIGHT

0.814

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053141014

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

130

PACKAGING WIDTH

130

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3718000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.814

PACKAGING WEIGHT UNIT

KGM