


Schuko Socket Base with Dual USB Charger A + C 10.5W Simon 75

REF. 7511432-039



BASIC INFORMATION

PACKAGING

Bulk

ETIM CLASS

EC000125

TECHNICAL INFORMATION

NUMBER OF CONNECTORS 3	LINKABLE Yes	USB CURRENT (A) 2,1 A
CONNECTOR TYPE Schuko,USB A,USB C	MAXIMUM POWER (W) 4000	USB PORT TYPE C,A
NUMBER OF CONTACTS 3	MONOBLOCK Yes	POWER DELIVERY USB No
FORMAT Schuko,USB C,USB A	PLATE TYPE Flat	QUICK CHARGE USB No
FREQUENCY 50 - 60 Hz	POWER SUPPLY (V~) 250 V~	USB VOLTAGE (V~) 5 Vdc
INDICATOR FUNCTION No	RECESS DIMENSION (MM) 45	VOLTAGE (V~) 250 V~
CURRENT (A) 16 A	USB CHARACTERISTICS USB A+C= 5,0 VDC 2,1 A 10,5W ; USB A= 5,0 VDC 2,1 A 10,5W ; USB C= 5,0 VDC 2,1 A 10,5W	NUMBER OF WIRES 3
IP RATING IP20		

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 10	REMOVAL OF COVER Only with tool	TYPE OF TERMINAL CONNECTION - FUNCTION 2 Schuko/USB: Screw
CLAW Simon 75	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw	

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | IEC 60884-1 Ed 3.2 | ETSI EN 301489-34 V2.1.1 | UNE 20315-1-1:2017 | EN IEC 63000:2018 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY EAN CODE	UNITARY PACKAGING WEIGHT UNIT	PACKAGING MEASUREMENT UNIT
8421053323458	KGM	MMT
UNITARY PACKAGING HEIGHT	PACKAGING EAN	PACKAGING VOLUME
0	8421053323458	329232
UNITARY PACKAGING WIDTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	MMQ
UNITARY PACKAGING LENGTH	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	57	0.082
UNITARY PACKAGING VOLUME	PACKAGING WIDTH	PACKAGING NET WEIGHT
0	76	0.066
UNITARY PACKAGING GROSS WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.066	76	KGM
PRODUCT NET WEIGHT		
0.066		