
Trim plate for MCB or RCCB for 2 elements white Simon 500 Cima

REF. **50000074-030**



BASIC INFORMATION

DESCRIPTION

Embellecedora miniature circuit breaker or residual current circuit breaker plate for 2 elements in white colour, Simon 500 Cima series. Its cleaning is simple, as you will only have to use a dry and soft cloth and never use or abrasive cleaners or cloths that contain chlorine in its formula. The Simon 500 Cima series allows you to 50% faster installation as it has a new click terminal connection. Just insert, tighten and the mechanism as is ready, without the need to strip the wire. Also, this Simon 500 Cima series presents a new centre frame system for independent installation of the electrical circuit and voice and data, as well as offers the possibility to perform an installation without the need for tools. This series of Simon 500 Cima, as it is the best solution for ensuring high speed data transmission, as well as an optimal abuchear of curvature and more space for the cabling, thanks to its new plates with Category 6A.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Wall enclosures, mini towers, mini columns, columns and metal enclosures Simon 500 Cima

PACKAGING CONTENTS

Plate for MCB or RCCB, DIN rail adaptor for installation in wall enclosures, mini towers, mini columns and metal enclosures Simon 500 Cima and installation manual

ETIM CLASS

EC002498

REMARKS

Universal design for installation in any Simon 500 Cima enclosure except for the floor boxes

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Plate for wall boxes, mini towers, mini columns, columns and metal enclosures, with a special version for floor boxes

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

FORMAT
DIN

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
2

RAL
9003

VERSION
2 elements

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
By direct snap-fit in the selected enclosure (no tools needed for fastening))

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Suitable for installing in surface or flush-mount wall boxes, mini towers, mini columns, columns and metal enclosures

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60898-1:2003 + EN 60898-1:2003 A1:2004 + EN 60898-1:2003 A11:2005 + EN 60898-1:2003 A12:2008 + EN 60898-1:2003 A13:2012

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.048

PRODUCT NET WEIGHT
0.048

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053095829

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
112

PACKAGING WIDTH
117

PACKAGING LENGTH
269

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
3524976

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.48

PACKAGING WEIGHT UNIT
KGM


50
100
13
23
50
41