

Charger 2x2.1A 5V DC type A USB port aluminium Simon K45

REF. K126E/8



BASIC INFORMATION

FINISH

Aluminium

MATERIAL

Thermoplastic

COMPATIBILITY

Simon K45 enclosure for mounting on the wall, floor, ceiling and furniture. Not compatible with Simon 500 Cima enclosures (for this, use ref. 2701097-030 and the S27 to Simon 500 Cima adaptor, ref. 50011088-030)

PACKAGING CONTENTS

Double USB charger, trim cover and installation manual

ETIM CLASS

EC002949

REMARKS

Allows simultaneous charging of up to two devices connected through USB Type A connectors, in which case the maximum intensity (2.1A) will be shared between the two connections.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

USB CHARACTERISTICS

10W

CABLE SECTION ADMITTED (MM)

From 1,0 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

USB CURRENT (A)

2,1 A

NUMBER OF CONNECTORS

2

USB VOLTAGE (V~)

5 Vdc

CONNECTOR TYPE

USB A

TYPE OF MECHANISM

Insertion

VERSION

Double

NUMBER OF CONTACTS

2

POWER SUPPLY (V~)

230 V~

VOLTAGE (V~)

230 V~

FORMAT

USB A

RAL

9006

NUMBER OF WIRES

2

CURRENT (A)

RECESS DIMENSION (MM)

40

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal and specific Simon K45.

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REMOVAL OF CONNECTOR

Only with tool

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 2

Screw

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009 + 20315-1-2:2009 + NF C-61314:2008 + A1:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053198780

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.069

PRODUCT NET WEIGHT

0.069

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053198780

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

55

PACKAGING WIDTH

65

PACKAGING LENGTH

65

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

232375

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.069

PACKAGING WEIGHT UNIT

KGM