

## USB charger type A+C port 65W PowerDelivery and QuickCharge white Simon K45

REF. K126H/9



### BASIC INFORMATION

#### DESCRIPTION

With dimensions of 45 x 45 mm, the K126H/9 charging base has two USB type A+C ports in white. The dual module allows simultaneous charging of 2 devices with 65W power using Power Delivery and Quick Charge 3.0 technology, enough to maintain the charge of our portable devices. But the best part, without a doubt, is its construction with metallic components coated with self-extinguishing thermoplastic insulation and halogen-free materials, ensuring that flames do not spread in case of fire, as well as having low toxicity in the event of smoke emission. The Simon K45 collection offers suitable solutions even for the most demanding users, thanks to our commitment to innovation and the use of the highest quality materials.

#### FINISH

White

#### MATERIAL

Thermoplastic

#### COMPATIBILITY

K45 Solutions. 500 Cima Solutions using adapter 50012088-038.

#### ETIM CLASS

EC002949

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### RECESS DIMENSION (MM)

48

### NUMBER OF CONNECTORS

2

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### USB CHARACTERISTICS

PD QC 65W

### CONNECTOR TYPE

USB A + USB C

### POWER DELIVERY USB

Yes

### NUMBER OF CONTACTS

2

### PLATE TYPE

Flat

### QUICK CHARGE USB

Yes

### FORMAT

USB A + USB C

### POWER SUPPLY (V~)

230 V~

### NUMBER OF WIRES

2

### INDICATOR FUNCTION

Yes

### RAL

9003

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

8

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 1

Screw

### REMOVAL OF CONNECTOR

Only with tool

### INSTALLATION DIRECTION

Horizontal, Vertical

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 2

Screw

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053329269

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053329269

PACKAGING VOLUME

232375

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

65

PACKAGING GROSS WEIGHT

0.121

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

55

PACKAGING NET WEIGHT

0.103

UNITARY PACKAGING GROSS  
WEIGHT

0.103

PACKAGING LENGTH

65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.103