

Fuse-holder base for cylindrical fuses 16A 380V~ size 8x32 mm ivory Simon 27 Play

REF. 27001-32



BASIC INFORMATION

DESCRIPTION

Socket fuse holder for cylindrical fuses and size of 8 x 32 mm in ivory colour finish of the Simon 27 Play series. Its power is 16 A and works with a power supply of 380V. This socket is suitable for surface and flush mounting, in places with a temperature located between 5 and 40°C, approximately, although it is also capable of withstanding extreme temperatures of -25 to 50°C, plus or minus. Its design follows the standards EN 60127-6: 1994 + A1: 1996 + A2: 2003 + EN 50581: 2012 and is made of metal components with halogen-free insulation and thermoplastic trim. To perform its maintenance is very simple as it to clean it, just need a soft cloth slightly moistened in soapy water and never you will use abrasive cloths or cleaners containing chlorine. The Simon 27 Play series offers two finishes: White and ivory, which achieve a perfect balance between the sobriety of form and harmony of colour.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Fuse holder

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MODE OF OPERATION

Cylindrical fuse

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

POWER SUPPLY (V~)

380 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

EN 60127-6:1994+A1:1996+A2:2003 + EN 50581:2012

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053010549

PACKAGING VOLUME
1201200

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
52

PACKAGING GROSS WEIGHT
0.695

UNITARY PACKAGING GROSS
WEIGHT
0.07

PACKAGING WIDTH
105

PACKAGING NET WEIGHT
0.7

PRODUCT NET WEIGHT
0.07

PACKAGING LENGTH
220

PACKAGING WEIGHT UNIT
KGM