

## Angled voice and data plate without dust cover 1 element for 1 RJ45 graphite Simon 500 Cima

REF. 50000181-038



## BASIC INFORMATION

### DESCRIPTION

The Simon 500 Cima Range, it offers the best and quickest solution to the most demanding market requirements. Simon, with extensive experience in the most modern technologies, prepares for the future any solution required by your company or office, facilitating the installation with extendible modular and safe systems. With the aim of respecting as much as possible to the most rigorous standards of certification, Simon recommends installing angled plates or depth extenders, which guarantees that the cabling has the correct radius of curvature. As Simon is fully compatible with the majority of the brands of the highest quality on the market, we suggest you consult the selection tables in the catalogue or on its website for the most up-to-date version about this compatibility. This is an angled voice and data plate without dust cover and 1 element for 1 RJ45. Graphite finish, Simon 500 Cima range. Suitable for combined MD module. Single Angled Plate. Plate for 1 and 2 RJ45. The plate includes clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 21 mm Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke resistant to corrosion and temperature changes. (-5 to 60 °C). Clean with a soft, dry cloth, do not use abrasive cleaners containing chlorine.

### FINISH

Graphite

### PACKAGING CONTENTS

Angled voice and data plate  
without dust cover

### ETIM CLASS

EC000018

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

RJ45

### PLATE TYPE

Angled

### AVAILABLE IN

Plate for 1 and 2 RJ45

### IP RATING

IP20

### RAL

7021

### RJ45 CONNECTORS

Not included in voice and data plate

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

### DUST PROTECTION

No

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

### SNAP-FIT TYPE

Corresponding to combined MD module

### DUST SHUTTER

No

### NUMBER OF MODULES

1

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

### INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053254530

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.013

### PRODUCT NET WEIGHT

0.013

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053095164

### UNITS CONTAINED PACKAGING

20

### PACKAGING HEIGHT

88

### PACKAGING WIDTH

123

### PACKAGING LENGTH

136

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1.472

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0

### PACKAGING NET WEIGHT

0.26

### PACKAGING WEIGHT UNIT

KGM

