3 RCA connectors Simon 100

REF. **10000565-039**

BASIC INFORMATION

DESCRIPTION

To connect peripherals to your television without losing audio and video quality, Simon 100 offers the RCA 3 connector to obtain the highest quality picture and sound. Designed for recessed installation, it works by insertion and by a screw terminal connection for which the product is integrated into every day in the space, guaranteeing the overall connector functionality. It is made from metallic materials with halogen-free insulated thermoplastic, which prevent flame spread and smoke toxicity in the event of a fire. This material allows the 3RCA connector to reach a temperature range of 5 to 40 ◆ C and maximum temperatures of -25 to 50 ◆ C. Functionality and innovation with 3RCA Simon 100 connector to obtain the highest quality picture and sound.

COMPATIBILITY

Marcos Simon 100

PACKAGING CONTENTS

3 RCA connectors

ETIM CLASS

EC000018

simon

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CONNECTOR TYPE
3RCA

NUMBER OF POSSIBLE ELEMENTS
Half element

FORMAT
RCA

IP RATING
IP20

TYPE OF MECHANISM
Insertion

OPERATING TEMPERATURE RANGE (ºC)
5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)
-25 - 75 ºC

VERSION
Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053145722

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.05

PRODUCT NET WEIGHT
0.05

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053145722

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
55

PACKAGING WIDTH
40

PACKAGING LENGTH
65

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
143000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.05

PACKAGING NET WEIGHT
0.05

PACKAGING WEIGHT UNIT
KGM



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet