

## Angled voice and data plate with dust cover 1 element for 1 RJ45 graphite Simon 500 Cima

REF. 50000081-038



## BASIC INFORMATION

### DESCRIPTION

Simon offers you a solution for every need in connectivity systems for voice, data and multimedia connections, and electrical system. Compatibility with IT connectors of other brands, easy installation without the need for special tools or screws. Modularity, speed, convenience and security, not only for people, but for installations. Allows you to expand the system, whenever necessary, adapting to the new technologies or reconnecting with existing installations. The Cima 500 range, facilitates installation, as it has the same plate for all types of housings: Snap-fit horizontal and vertical. New window format to indicate the correct position of the patch cord. This is a an angled voice and data plate with dust cover and 1 element for 1 RJ45. Graphite finish, Simon 500 Cima range. Suitable for combined MD module. Single Angled Plate. Plate for 1 and 2 RJ45. The plate includes clips for fastening in vertical and horizontal housings without the need for an adaptor. Dimensions 50 x 50 x 21 mm Halogen-free thermoplastic material; guarantees no flame propagation in case of fire and low toxicity in the event of smoke generation. Resistant to corrosion and extreme temperatures. Easy maintenance. Clean with a soft and dry clean. It is not recommended to use cleaners that contain chlorine.

### FINISH

Graphite

### PACKAGING CONTENTS

Angled voice and data plate with dust cover

### ETIM CLASS

EC000018

### COMPATIBILITY

Simon 500 Cima enclosures

### REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

RJ45

### PLATE TYPE

Angled

### AVAILABLE IN

Plate for 1 and 2 RJ45

### IP RATING

IP20

### RAL

7021

### RJ45 CONNECTORS

Not included in voice and data plate

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Not included in voice and data plate

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

### DUST PROTECTION

Yes

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

### SNAP-FIT TYPE

Corresponding to combined MD module

### DUST SHUTTER

Yes

### NUMBER OF MODULES

1

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

### INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

### INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT 0	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING WIDTH 0	PACKAGING EAN 8421053095300	PACKAGING VOLUME 1.472
UNITARY PACKAGING LENGTH 0	UNITS CONTAINED PACKAGING 20	PACKAGING VOLUME UNIT DMQ
UNITARY PACKAGING VOLUME 0	PACKAGING HEIGHT 88	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING GROSS WEIGHT 0.014	PACKAGING WIDTH 123	PACKAGING NET WEIGHT 0.28
PRODUCT NET WEIGHT 0.014	PACKAGING LENGTH 136	PACKAGING WEIGHT UNIT KGM

