


## Frame for 3 cold aluminium elements Simon 82 Detail Original white base

REF. 8200630-093



## BASIC INFORMATION

### DESCRIPTION

Frame for 3 elements in cold aluminium and with white socket of the Simon 82 Detail Original series, it is recommended to use the cold aluminium finish for covers and rockers. This frame is suitable for flush mounting on surfaces with a temperature of between 5 and 40°C, although it can withstand, to perfection, extreme temperatures of between -25 to 50°C, so that it is a type of frame perfect for any climatology. The socket is manufactured in Zamak and the frame in thermoplastic and its design follows the regulations UNE-EN 60669-1: 2002 + A1: 2003 + A2: 2009 + UNE 20315-1-1: 2009. It measures 93x235mm and a frame is very easy to clean because only has to use a soft and dry cloth and nothing cloths and / or abrasive cleaners containing chlorine. The Simon 82 series offers innovative features such as the light frame for location in the dark, and also the safety guard function for children. Its finishes are organized in 4 families: Noble metal, wood, metal, colour and colour.

### FINISH

Aluminium/White

### COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

### PACKAGING CONTENTS

Frame with 3 elements

### MATERIAL

Plastic

### ETIM CLASS

EC000007

### REMARKS

It is recommended to use the cold aluminium finish for rockers and covers.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### AVAILABLE IN

1, 2, 3 and 4 elements

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

3 elements

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | EN 60669-1:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053118405

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### PACKAGING EAN

8421053118405

### PACKAGING VOLUME

271320

### UNITARY PACKAGING WIDTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### PACKAGING HEIGHT

12

### PACKAGING GROSS WEIGHT

0

### UNITARY PACKAGING VOLUME

0

### PACKAGING WIDTH

95

### PACKAGING NET WEIGHT

0.126

### UNITARY PACKAGING GROSS WEIGHT

0.126

### PACKAGING LENGTH

238

### PACKAGING WEIGHT UNIT

GRM

### PRODUCT NET WEIGHT

0.126