Frame for 4 elements graphite beech wood base Simon 82 Detail Select

REF. **8201640-271**

BASIC INFORMATION

FINISH
Graphite/Wood

MATERIAL
Plastic

COMPATIBILITY
Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS
Frame with 4 elements

ETIM CLASS
EC000007

REMARKS
PEFC certified natural wood to promote sustainable forest growth. It is recommended to use the graphite finish for rockers and covers.

simon

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

VERSION

4 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012

simon

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053115565

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITS CONTAINED PACKAGING
1

UNITARY PACKAGING GROSS WEIGHT
0.128

UNITARY PACKAGING WIDTH
0

PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING HEIGHT
0

PACKAGING EAN
8421053115565

PACKAGING VOLUME
385320

UNITARY PACKAGING LENGTH
0

PACKAGING GROSS WEIGHT
0.128

PACKAGING VOLUME UNIT
MMQ

PRODUCT NET WEIGHT
0.128

PACKAGING HEIGHT
13

PACKAGING WEIGHT UNIT
KGM

UNITARY PACKAGING VOLUME
0

PACKAGING LENGTH
308

PACKAGING WIDTH
95

PACKAGING NET WEIGHT
0.128