

Surface-mount wall box for 1 double element white Simon 500 Cima

REF. 51000001-030



BASIC INFORMATION

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon 500 Cima and Simon 27 Play/Simon K45 mechanisms (using specific adaptors), combinable with the Simon Trunking range

PACKAGING CONTENTS

Floor box, metal partition wall, ground connection cable, fixing studs, screws and installation manual

ETIM CLASS

EC002600

REMARKS

Alternatively, you can screw the frame holder into the box if you need extra fastening.

TECHNICAL INFORMATION

AVAILABLE MARKET CE

AVAILABLE IN

1, 2, 3, 4 and 6 double elements

NUMBER OF CLAMP-HOLDER HOLES

4

DIELECTRIC STRENGTH

No holes or contours, with 2000V
at 50 Hz for 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

ELECTROMAGNETIC IMMUNITY FOR VDM WIRING

Secured by installing the metal
partition wall in the housings
fitted into the box for this
purpose.

NUMBER OF ENCLOSURES FOR GROUND CONNECTION

1

HEAT RESISTANCE (°C)

+125°C (according rule IEC
60695-10-2)

IK CLASSIFICATION

07

INSULATION RESISTANCE (V-MΩ)

>5MΩ at 500V

IP RATING

IP4X

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do
not use abrasive cloths or
cleaning products that contain
chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

2

NUMBER OF PRE-PUNCHED HOLES 30 X 50 MM

0

NUMBER OF PRE-PUNCHED HOLES 40 X 80 MM

0

RAL

9003

NUMBER OF SIDE ENTRANCES

4

VERSION

1 double element

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in
accordance with standard IEC
60695-2-11)

TYPE OF FASTENING

Using the screws supplied

REMOVAL OF THE FRAME

Only with tool

INSTALLATION DIRECTION

Vertical, corresponding with the
direction of the mechanisms

INSTALLATION TYPE

Suitable for surface-mount wall
installation

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053091586

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.27

PRODUCT NET WEIGHT

0.27

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053091586

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

75

PACKAGING WIDTH

100

PACKAGING LENGTH

170

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.275

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.27

PACKAGING WEIGHT UNIT

KGM

