simon

Cover for wire outlet/pull-cord push-button switch Simon 82 Concept

REF. 8200051-096



BASIC INFORMATION

FINISH COMPATIBILITY PACKAGING CONTENTS

Titanium Simon 75 mechanisms Cover

MATERIAL PACKAGING ETIM CLASS

Thermoplastic Flow pack EC000011

REMARKS

Available in 7 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.



simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE ELEMENTS

1 item

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface or recessed mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-2-1:2011 | EN 63000:2018



simon

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053279489

UNITARY PACKAGING GROSS

WEIGHT

0.03

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING LENGTH

0

PRODUCT NET WEIGHT

0.03

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME

UNIT

MMQ

UNITARY PACKAGING WEIGHT

UNIT

KGM

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053229590

PACKAGING GROSS WEIGHT

0

PACKAGING HEIGHT

82

PACKAGING LENGTH

223

PACKAGING NET WEIGHT

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING MEASUREMENT

UNIT MMT

PACKAGING VOLUME

3.017

PACKAGING VOLUME UNIT

DMQ

PACKAGING WEIGHT UNIT

KGM

PACKAGING WIDTH

165

