

Two-pole socket outlet 10A 250V~ for half element with safety device and fast terminal connection ivory Simon 27 Play

REF. 27442-61



BASIC INFORMATION

DESCRIPTION

Two-pole socket outlet half element and with ivory finish of the Simon 27 Play series. It works by insertion and can be installed both on the surface-mounted as for recessed in places with a temperature located between 5 and 40°C, although it supports extreme temperatures of between -25 to 75°C. This socket outlet is compatible with the frames Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralizations and Simon 44 Aqua and is suitable for replacement or export. Supports a cable section of 2.5 mm with a stripped 15mm and is made of metal components with halogen-free insulation and thermoset trim. It measures 22.5x45 mm and for its cleaning will only need a dry and soft cloths and never use abrasive cloths or cleaners that contain any percentage of chlorine, as it could be damaged.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Socket outlet with cover

ETIM CLASS

EC000125

REMARKS

Suitable for replacement or export.

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

Half element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Two-pole

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

MONOBLOCK

No

VERSION

Single

CURRENT (A)

10 A

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small
spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush
mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.038

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

1201200

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053037935

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

1201200

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.765

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

52

PACKAGING NET WEIGHT

0.76

UNITARY PACKAGING GROSS
WEIGHT

0.038

PACKAGING WIDTH

105

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

220