

Back kit for 1 shutter switch Simon 100

REF. 10010115-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000044

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

MONOBLOCK

No

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VOLTAGE (V~)

250 V~

TYPE OF MECHANISM

Momentary switch button

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

Horizontal and vertical

KIT INSTALLATION DIRECTION

Vertical and horizontal

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201275

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201275

PACKAGING VOLUME

601920

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

76

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

90

PACKAGING NET WEIGHT

0.126

UNITARY PACKAGING GROSS
WEIGHT

0.126

PACKAGING LENGTH

88

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.126