# Plastic bucket for adjustable floor box of 6 double elements for installation on pavement floor Simon Cima

REF. **G66**



## BASIC INFORMATION

### FINISH
Grey

### MATERIAL
Various

### COMPATIBILITY
With adjustable floor boxes of 6 double elements for pavement and inspection covers of 6 double elements Simon Series S.

### ETIM CLASS
EC000114

## TECHNICAL INFORMATION

### HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

### IK CLASSIFICATION

08

### KIT AVAILABILITY

No

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RECESS DIMENSION (MM)

259 x 312 mm

## INSTALLATION AND MAINTENANCE

### NUMBER OF CHANNEL ENTRIES

2

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

### SCREWS REQUIRED FOR SLAB FIXING

Minimum 2 (1 on each side, diagonal). It is recommended to secure the mounting box with 4 screws for maximum secure fixation

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436016071

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
6669680

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.438

PRODUCT NET WEIGHT
1.438

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436016071

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
80

PACKAGING WIDTH
263

PACKAGING LENGTH
317

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
6669680

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.438

PACKAGING NET WEIGHT
1.438

PACKAGING WEIGHT UNIT
KGM