


Dimmer switch 500W - 230V with screw connection Simon 24 Harmonie

REF. 2400313-039



BASIC INFORMATION

COMPATIBILITY

Simon 24 Harmonie frames

COMPATIBLE WITH 230V
INCANDESCENT AND HALOGEN
LAMPS (W)

500 Bt

COMPATIBLE WITH MECHANICAL PUSH BUTTON

Yes

COMPATIBLE WITH MECHANICAL SWITCH

No

PACKAGING CONTENTS

Mechanism and assembly

REMARKS

It is not possible to connect two electronic voltage regulators in the same circuit

TECHNICAL INFORMATION

AVAILABLE MARKET

CE, except for Spain, UK, Poland, Portugal, Andorra and Russia

COMPATIBLE WITH FLUORESCENT LAMPS (VA)

No

MINIMUM POWER (W)

40 W

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

FREQUENCY

50 Гц

COMPATIBLE WITH MOTORS (VA)

No

NUMBER OF CONTACTS

3

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF CONTROLLABLE CIRCUITS

1

COMPATIBLE WITH LOW CONSUMPTION (W)

No

POWER SUPPLY (V~)

230 V~

COMPATIBLE WITH HALOGENS WITH ELECTRONIC TRANSFORMER (W)

No

MAXIMUM POWER (W)

450

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAXIMUM QUANTITY PER CIRCUIT

1

VERSION

Single

TYPE OF MECHANISM

Rotary

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

6

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Flush-mounted or surface-mounted

CLAW

Included

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053137765

PACKAGING VOLUME
329232

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
57

PACKAGING GROSS WEIGHT
128

UNITARY PACKAGING GROSS
WEIGHT
0.128

PACKAGING WIDTH
76

PACKAGING NET WEIGHT
0.128

PRODUCT NET WEIGHT
0.128

PACKAGING LENGTH
76

PACKAGING WEIGHT UNIT
GRM