# FLUSH-MOUNTED DOWNLIGHT 719 12W 4000K

REF. **71921030-984**

## BASIC INFORMATION

FINISH
White

PACKAGING
Box

APPLICATION
General lighting

ETIM CLASS
EC001744

## TECHNICAL INFORMATION

FREQUENCY
50 - 60 Hz

POWER SUPPLY (V~)
220/240 V~

COLOR TYPE
WW

IP RATING
IP20

CONTROL
On/Off

OPTICS
Microprismatic

## PHOTOMETRY ASSETS – CONICAL




## PHOTOMETRY ASSETS – POLAR




# INSTALLATION AND MAINTENANCE

### MINIMUM INSTALLATION HEIGHT

35

# REGULATIONS

### WARRANTY

3 years

### REGULATIONS

Dir. 2014/35/UE LVD|Dir. 2014/30/UE EMC|Dir. 2009/125/EC ErP (Reg. UE 2019/2020)|Dir. 2009/125/EC ErP (Reg. UE 2019/2015)|Dir. 2011/65/UE RoHS + post. mod.|EN 60598-2-2:2012|EN IEC 55015:2019 + A11:2020|EN 62493:2015|EN 61547:2009|EN 62717:2017 + A2:2019|EN IEC 61000-3-2:2019 + A1:2021*1|EN IEC 63000:2018|EN 61000-3-3:2013 + A1:2019 + A2:2021

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053326985

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.142

PRODUCT NET WEIGHT
0.092

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053326985

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
40

PACKAGING WIDTH
153

PACKAGING LENGTH
153

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
936360

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.142

PACKAGING NET WEIGHT
0.092

PACKAGING WEIGHT UNIT
KGM