

Back kit for 1 Simon iO switch Simon 100

REF. 10010112-039



BASIC INFORMATION

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

CONNECTIVITY PROTOCOL

Z-wave

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

TYPE OF MECHANISM

Push button rocker switch

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

1 click connection (1 click®)

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201251

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.123

PRODUCT NET WEIGHT

0.123

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053201251

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

76

PACKAGING WIDTH

90

PACKAGING LENGTH

88

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

601920

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.123

PACKAGING WEIGHT UNIT

KGM