

Spotlight 740.01 Rail 4000K Flood CR90 White

REF. 74001030-494



BASIC INFORMATION

DESCRIPTION

The 740.01 Rail Spotlight 4000 K Wide Flood CR90 White is a white in colour spotlight with textured paint ideal for spaces discreet and elegant. Its body manufactured in aluminium of high quality and high thermal design completes its structure, which is resistant and attractive at a visual level in equal parts. It also, its installation is of type rail, of the most simple, which can be found in the market.

The service life of the luminaire must meet at least the 30000 hours of lighting at a constant temperature, a number very high which guarantees its durability to the long term. With a Colour rendering index (CRI) 90 about 100, this spotlight is efficient even for spaces very delicate as museums, exhibitions or art galleries.

Not to mention that its colour temperature reaches the 4000 K, which allows you to send a white light type, neutral, ideal for all types of commercial premises or installations. In last we can highlight that it is of Wide Flood category optics, which means that the spotlight with a an angle of opening the light beam of up to 47 ° opening, with total. All this 20W of power and a lighting efficiency of 77,5.

APPLICATION

Accent lighting, General lighting

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Wide Flood

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

77,5 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

1550 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1550lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215524

PACKAGING VOLUME
4624000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
250

PACKAGING GROSS WEIGHT
0.8

UNITARY PACKAGING GROSS
WEIGHT
0.8

PACKAGING WIDTH
136

PACKAGING NET WEIGHT
0.6

PRODUCT NET WEIGHT
0.6

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM