Flat voice and data plate without dust cover for 1 RJ45 Panduit® for 1 element white Simon 500 Cima

REF. **50019185-030**



BASIC INFORMATION

DESCRIPTION

This plate of voice and data plate belongs to the Simon 500 Cima range. It is a product is ideal for a connector, 1 Panduit ® RJ45 for one element, its installation and use is extremely simple and also Simon, always looking for facilitate the task of the user, included in the product the clips necessary for the fastening of the plate in vertical or horizontal enclosures without the need for an adaptor. The plate is made up of a single module and its dimensions are 50 x 50 millimetres and 11 millimetres of depth and comes in a traditional white colour, which makes it ideal for those who want to integrate into any type of space regardless of its decorative style and aesthetics. The product is made of halogen-free thermoplastic material, so that it has a lot of resistance and an extra hardness. In addition this material incremented considerably the security of the final set as it does not propagate the spread in case of fire and reduces the toxicity of smoke.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Panduit® Mini-Com Series.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
9003

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
RJ45 Panduit® connectors

SNAP-FIT TYPE
RJ45 Panduit® connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.024

PRODUCT NET WEIGHT
0.024

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097144

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM


50
50
5
11