# Simon XENON Wall Charging Point with T2 Socket + Schuko Socket Three-phase 22 kW

REF. **0660321-000**



## BASIC INFORMATION

### DESCRIPTION

Charging point SIMON XENON BUSINESS Series, wall-mounted. Schuko socket + type 2 socket with connector locking to prevent its removal. Maximum power per socket of 22 kW (Three-phase 400 V, 50 Hz) configurable to lower powers via software. Mode 3 charging according to EN 61851-1. Master-slave management system between charging points with the possibility of fixed power management. Compatible with SPL SIMON accessory for dynamic balancing. Digital LED strip indicating status by color code on the front. LCD display screen for user interaction prepared for outdoor and indoor use. RFID card reader ISO 14443A/Mifare – 13.56 MHz. Two RFID cards are included for the use of the charging point. Meter included per socket with MID certificate. Communications RS-485, Ethernet, 4G (Optional). Protocol OCPP 1.6 JSON and Modbus TCP/IP. PC + ABS V0 enclosure IK10 and IP54 suitable for indoor or outdoor installation, of 351 x 343 x 148 mm. Residual current detection per socket: 6mA DC. Standard SIMON finish.

### APPLICATION

Commercial areas,Hotel,Office,Parking

### OPERATING ENVIRONMENT

Commercial areas,Hotel,Office,Parking

### ETIM CLASS

EC002883

### REMARKS

To carry out a dynamic power balancing with the installation, the SPL network analyzer accessory must be acquired. Vertical mounting totems are available.

## TECHNICAL INFORMATION

### 4G COMMUNICATION MODEM

With accesorie

### IK CLASSIFICATION

10

### NUMBER OF OUTLETS

2

### CONNECTOR TYPE

Socket T2 + Schuko socket

### CURRENT (A)

32 A

### OVERCURRENT PROTECTION

No

### ELECTRICITY METER

Yes

### IP RATING

IP54

### RCBO PROTECTION

No

### FREQUENCY

50 Hz

### TYPE OF LINE

Three-phase

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053349779

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
7

PRODUCT NET WEIGHT
6.5

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053349779

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
225

PACKAGING WIDTH
500

PACKAGING LENGTH
435

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
60735500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
7

PACKAGING NET WEIGHT
6.5

PACKAGING WEIGHT UNIT
KGM