

Spotlight 740.01 Rail 4000K Flood CR90 DALI White

REF. 74001330-394



BASIC INFORMATION

DESCRIPTION

The 740.01 Rail Spotlight 4000 K Flood CR90 DALI White is a spotlight 740 of the range of Simon where the installation of type rail is very easy to install in any type of space. It is necessary to take into account its IP rating of 20 to take special care of not to bring the spotlight to any source of water. It is a spotlight with a power of 20 W

The the spotlight luminaire has a service life of at least 30000 hours of lighting at 25 ° C, a number very interesting, which means that it is long duration in time. A this also contributes to the body of the spotlight has been manufactured in aluminium or its high thermal design. But also the textured white paint used for its outdoor covering.

Other interesting qualities are the high colour rendering index, 90 about 100, which makes it possible to its use, even in the spaces more professionals, such as art galleries or exhibitions. Not to mention also has a DALI dimming system that makes it possible to the management of the spotlight by modifying various features according to the needs you have. It is of type Flood optics and colour temperature of 4000 K.

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Flood

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

77,5 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

1550 lm

POWER (W)

20 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

1550lm/20W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215739

PACKAGING VOLUME
4624000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
250

PACKAGING GROSS WEIGHT
0.8

UNITARY PACKAGING GROSS
WEIGHT
0.8

PACKAGING WIDTH
136

PACKAGING NET WEIGHT
0.6

PRODUCT NET WEIGHT
0.6

PACKAGING LENGTH
136

PACKAGING WEIGHT UNIT
KGM