

## Plate for inductive R/TV sockets cold aluminium Simon 82 Detail

REF. 82053-93



## BASIC INFORMATION

### DESCRIPTION

Designed for R-TV formats with a perfect combination of balance and simplicity, the Plate for inductive sockets in cold aluminium colour is the Simon 82 Detail series is superb due to all its features. With dimensions of 55x55 mm, this is a perfect piece to install both recessed and surface-mounted, being able to choose in its six finishes, a circumstance that allows us to choose the frame with the same baseboard colour as the rocker selected. It also includes R and TV engraving among its features to know at all times which device it corresponds to. It is a perfect plate for the passage of time thanks to the materials of metallized thermoplastic with which it has been manufactured, which also translates into a range of minimum and maximum temperatures between -25 ° and 50 ° C. This has made it one of the best-selling R-TV boards.

### FINISH

Aluminium

### MATERIAL

Plastic

### PACKAGING CONTENTS

Plate

### SYMBOL

R-TV+SAT

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000018

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### INDICATOR FUNCTION

No

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 item

### IP RATING

IP20

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### FORMAT

R/TV

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 | EN 50083-2:2012 A1:2015 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053258811

### UNITARY PACKAGING GROSS WEIGHT

0.018

### PACKAGING LENGTH

221

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.018

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

3026595

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053120651

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

20

### PACKAGING GROSS WEIGHT

0

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

83

### PACKAGING NET WEIGHT

0.36

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

165

### PACKAGING WEIGHT UNIT

KGM