

## Single rocker for switches aluminium Simon 82

REF. 82010-33



## BASIC INFORMATION

### DESCRIPTION

Individual rocker for control mechanisms of the Simon 82 series in aluminium colour, dimensions 55 x 55 mm Made from extruded in galvanized thermoplastic material, for its correct installation it is necessary to use a universal recessed box or, in its absence, a baseboard surface-mounted. It does not include engraving. For proper maintenance, it is recommended to clean it with a soft and dry cloth. Do not use cloths and / or abrasive cleaners containing chlorine. The Simon 82 series stands out for its minimalist design, noble finishes and extensive range of textures, pure, simple lines and an extra-flat profile draw the essence of a new concept. Balance and simplicity adapted to the latest trends. It is recommended to choose a frame with the same baseboard colour as the rocker selected. All the frames and rockers of the Simon 82 Series are compatible with Simon 75 Series mechanisms (switches, 2-way switches, crossovers).

### FINISH

Aluminium

### MATERIAL

Plastic

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP21

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053052143

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### PACKAGING EAN

8421053052143

### PACKAGING VOLUME

3017190

### UNITARY PACKAGING WIDTH

0

### UNITS CONTAINED PACKAGING

20

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### PACKAGING HEIGHT

82

### PACKAGING GROSS WEIGHT

0.47

### UNITARY PACKAGING VOLUME

0

### PACKAGING WIDTH

165

### PACKAGING NET WEIGHT

0.46

### UNITARY PACKAGING GROSS WEIGHT

0.023

### PACKAGING LENGTH

223

### PACKAGING WEIGHT UNIT

KGM

### PRODUCT NET WEIGHT

0.023