

Two-pole socket outlet 16A 250V~ with safety device and screw terminal connection champagne Simon 31

REF. 31431-64



BASIC INFORMATION

DESCRIPTION

Two-pole socket outlet, current 16 A / 250V. has a safety device and its rocker operation is screwed. It is the socket outlet champagne finish of the Simon 31 series. It works by insertion. As important characteristic of this power socket of the Simon 31 series, it should be noted that each one of the covers include the child protection function. In this way is achieved to increase the security of great. Also, the socket outlet is made of metal components with thermoplastic insulation isolated. The trim is equipped with components of metallized thermoplastic. Thanks to this the temperatures that can withstand the outlet are very variables and extreme temperatures (-25 to + 59 degrees centigrade). This is the individual version, for one element and two modules. Supports a cable section 2.5 millimetres and require stripping of wire 13 millimetres. The exact dimensions of the Simon 31 socket outlet are 64 x 65 millimetres.

FINISH

Champagne

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Two-pole

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3026595

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.091

PRODUCT NET WEIGHT
0.091

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053055540

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.905

PACKAGING NET WEIGHT
0.91

PACKAGING WEIGHT UNIT
KGM