

Trim plate for 1 BNC connector for 1 element black Simon K45

REF. K102/14



BASIC INFORMATION

DESCRIPTION

The collection of Simon K45 mechanisms includes varied to offer solutions to all types of connections, such as this trim plate finished in black grey. It is designed for 1 BNC connector, is 1 element and its connection is made by welding. This trim can be installed in both solutions for surface-mounted or recess. The dimensions of this trim are 45 x 22.5 and has a depth of 8 millimetres and half. For fastening, this plate has a housing for BNC connector with a rear screw. Also, you need to ask with the connector, since it is not included in this product. This made of halogen-free thermoplastic, which guarantees that the fire is not propagate has in case of fire and low toxicity in the event of smoke generation. Simon we offer quality products, made under regulation and with the premise more important: Provides comfort and security to people.

FINISH

Black

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Plate for 1 BNC connector

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening the connector with a rear screw. Connector not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Version with 1 75-Ohm BNC connector with soldered connection

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

FORMAT

BNC

INDICATOR FUNCTION

No

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

Four

RAL

7021

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.005

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

544320

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436038141

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

27216

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.1

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

72

PACKAGING NET WEIGHT

0.1

UNITARY PACKAGING GROSS
WEIGHT

0.005

PACKAGING WIDTH

72

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

105