Flat voice and data plate with dust cover for 1 RJ45 BeldenCDT® for 1 element graphite Simon 500 Cima

REF. **50013085-038**



BASIC INFORMATION

DESCRIPTION

This product is part of the Simon 500 Cima series. This is a plate of voice and data plate for 1 RJ45 BeldenCDT ®, which provides energy to an element. The plate has included dust cover that protects against challenges external, in addition to its fastening clips in vertical and horizontal enclosures without the need for an adaptor, so that it is a highly versatile product and multifunctional. The product is made up of a module and has dimensions of 50 x 50 millimetres and 11 millimetres of depth. It comes in graphite colour, an innovative that responds to the latest trends in appearance that its integration into any room will be performed to perfection. The plate is made of halogen-free thermoplastic material. Consists of a high quality material that also confer great resistance to the product, incremented considerably your security, because they do not contributes to of fire propagation in case of fire and is able to reduces the toxicity of smoke.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
BeldenCDT® GigaFlex MDVO.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
7021

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
BeldenCDT® RJ45 connectors

SNAP-FIT TYPE
BeldenCDT® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
26

UNITARY PACKAGING WIDTH
58

UNITARY PACKAGING LENGTH
86

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
129688

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.015

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096741

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
26

PACKAGING WIDTH
58

PACKAGING LENGTH
86

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.15

PACKAGING WEIGHT UNIT
KGM


50
50
5
11