USB A+C Charger (30W Power Delivery) Simon 100

REF. **10000296-039**



BASIC INFORMATION

ETIM CLASS
EC002949

TECHNICAL INFORMATION

FORMAT
USB A + USB C

IP RATING
IP20

USB CURRENT (A)
3,1 A

INDICATOR FUNCTION
No

NOMINAL VOLTAGE (V~)
230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
7

INSTALLATION DIRECTION
Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) | EN 62368-1:2014 + A11:2017 | EN 50563:2011 + A1:2013 | EN IEC 63000:2018 ETSI | EN 301489-34 V2.1.1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053292051

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.07

PRODUCT NET WEIGHT
0.07

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053292051

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
57

PACKAGING WIDTH
67

PACKAGING LENGTH
68

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
259692

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.07

PACKAGING WEIGHT UNIT
KGM


L
N
simon
L N