Frame for 3 elements matt aluminium interior aluminium Simon 82

REF. **82934-33**



BASIC INFORMATION

FINISH
Matt aluminium

MATERIAL
Metal

COMPATIBILITY
Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS
Frame with 3 elements

ETIM CLASS
EC000007

REMARKS
It is recommended to use the aluminium finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1, 2, 3 and 4 elements

INNER FRAME
Aluminium

IP RATING
IP21

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
3 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053262276

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.13

PRODUCT NET WEIGHT
0.13

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053054956

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
55

PACKAGING WIDTH
91

PACKAGING LENGTH
235

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
1188000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.715

PACKAGING NET WEIGHT
0.65

PACKAGING WEIGHT UNIT
KGM


229 mm
89 mm
13 mm