

German two-pole socket outlet I0/16A 250V~ with screw terminal connection system Simon 32

REF. 32432-39



BASIC INFORMATION

DESCRIPTION

The collection Simon 32 presents the Schuko socket outlet two-pole individual of 1 element with screw terminal connection system, it is compatible with elements up to 250 V of voltage and between 10 and 16 A of intensity, avoiding to use any abrasive product containing chlorine in its formulation, since it could seriously damage the finish of the piece. For this reason, our recommendation is to clean it with a soft and dry cloth. Simon 32 line is one of the most classic of our brand, and that is that this collection has sobrevivido to the passage of time for its ability to adapt to all trends. A classic and timeless to fall in love with the fanáticos of simplicity. You compliques life and commitment to what always was a success with a great brand.

COMPATIBILITY

Simon 32 covers

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 / 16 A

TYPE OF MECHANISM

Insertion

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

FORMAT

Schuko

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.088

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

0.158

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053073247

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING VOLUME

3017190

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

82

PACKAGING NET WEIGHT

0.88

UNITARY PACKAGING GROSS

WEIGHT

0.088

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

223