


**Front kit for 3 elements with 1 German socket outlet, 1 HDMI + USB connector and 1 single R/TV+SAT socket gloss white Simon 100**

REF. 10020304-130



## BASIC INFORMATION

### DESCRIPTION

Kit in white for 3 elements with the following functionalities: 1 Schuko plug base, 1 HDMI + USB connector and 1 R-TV + SAT socket only. At the time of installation, it must be taken into account that the Schuko plug base is made by the 1-click system, while the rest R-TV + SAT / HDMI + USB is via screw. It is a multimedia kit that offers the main TV connectors, game connectors, music connectors and plug.

This kit belongs to the 100 series of Simon, so it is compatible with the rest of the elements of this range. For the development of this device, the directive 2014/35 / UE LVD + directive 2014/30 / UE EMC + directive 2011/65 / UE RoHS + EN 50083-2: 2012 \* 4 + EN 50581: 2012 + IEC 60603-7-4: 2010 \* 5 + IEC 60884-1 Ed. 3.2 \* 1 have been followed and it is suitable for commercialisation in the EC.

Its installation can be done vertically and horizontally. It works with a voltage of 250 V ~ and occupies 3 elements. For proper maintenance and operation, a temperature range of 5 to 40° C and a storage temperature range of -25 to 50° C must be observed.

### FINISH

Gloss white

### COMPATIBILITY

Kit mechanisms Simon 100

### ETIM CLASS

EC000007

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### NUMBER OF POSSIBLE ELEMENTS

3 elements

### INDICATOR FUNCTION

No

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### MONOBLOCK

Yes

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### VERSION

3 elements

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

### INSTALLATION TYPE

Suitable for flush mounting

### TYPE OF TERMINAL

#### CONNECTION - FUNCTION 2

R-TV+SAT: / HDMI / USB: Screw

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012\*4  
+ EN 50581:2012 + IEC 60603-7-4:2010\*5 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053146200

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### PACKAGING EAN

8421053146200

### PACKAGING VOLUME

480295.2

### UNITARY PACKAGING WIDTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### PACKAGING HEIGHT

25.3

### PACKAGING GROSS WEIGHT

0.124

### UNITARY PACKAGING VOLUME

0

### PACKAGING WIDTH

226

### PACKAGING NET WEIGHT

0.124

### UNITARY PACKAGING GROSS WEIGHT

0.124

### PACKAGING LENGTH

84

### PACKAGING WEIGHT UNIT

KGM

### PRODUCT NET WEIGHT

0.124