Back kit for 1 Schuko socket outlet and built-in USB charger with smartcharge Simon 100

REF. **10010109-039**



BASIC INFORMATION

COMPATIBILITY
Front Kit Simon 100

PACKAGING CONTENTS
Mechanism and instructions

ETIM CLASS
EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
Schuko,USB

INDICATOR FUNCTION
No

CURRENT (A)
16 A

IP RATING
IP20

TYPE OF MECHANISM
Insertion

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

POWER SUPPLY (V~)
250 V~

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

USB CURRENT (A)
2,1 A

USB VOLTAGE (V~)
5 Vdc

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Vertical and horizontal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2011 IEC 60884-1 Ed. 3.2 ETSI-EN 301489-34 V1.4.1 EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053091135

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.158

PRODUCT NET WEIGHT
0.158

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053091135

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
76

PACKAGING WIDTH
90

PACKAGING LENGTH
88

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
601920

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.158

PACKAGING WEIGHT UNIT
KGM