

Voice and data angled plate with dust cover for 1 element for 1 RJ45 connector white Simon K45

REF. K80/9



BASIC INFORMATION

DESCRIPTION

Model of voice and data plate K80 / 09 for different voice and data connections belonging to the professional Simon K45 range, compatible with other components of the same series of Elements. It is a model of plate Voice and data tilted plate with dust cover with 1 element, FOR 1 RJ45 connector with Snap-fit according to combined MD module individual version of module means. In colour and finishes in white features components of thermoplastic character. Halogen-free that, which minimizes the risk is spread in case of fire or the propagation Fumes. For systems in vertical enclosures and voice plate is Requires the 90° positioner (ref. K66) to Guide the plate into a vertical position. It measures 45x45mm and a depth of 25 mm, Being a very versatile and easy to compatibility for different environments Working and installations professionals.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Inclined voice and data plate with dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

SNAP-FIT RJ45 PLATES

According to combined MD module

DUST PROTECTION

Yes

SNAP-FIT TYPE

According to combined MD module

FORMAT

RJ45

NUMBER OF MODULES

Half

VERSION

Single

PLATE TYPE

Angled

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface and flush mounting

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
73603

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.012

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8426436016224

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
1472064

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.24

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM