

## Side cover with direct wiring access for Aluminum profiles Ofiblock Compact and Line light gray Simon K45

REF. KCFC02/24



### BASIC INFORMATION

#### DESCRIPTION

Side cover for cable access for integration into K45 Ofiblock Compact. Grey color and made from high-quality halogen-free, self-extinguishing thermoplastic components, preventing flame propagation and smoke toxicity in case of fire.

#### FINISH

Grey

#### COMPATIBILITY

Ofiblocks Compact and Line  
Simon K45

#### ETIM CLASS

EC000011

#### MATERIAL

Plastic

## TECHNICAL INFORMATION

### HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

### KIT AVAILABILITY

Yes

### RAL

7035

### IP RATING

IP4X

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COVER

Only with tool

### EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT  
0

UNITARY PACKAGING WEIGHT  
UNIT  
KGM

PACKAGING MEASUREMENT  
UNIT  
MMT

UNITARY PACKAGING WIDTH  
0

PACKAGING EAN  
8421053290316

PACKAGING VOLUME  
911400

UNITARY PACKAGING LENGTH  
0

UNITS CONTAINED PACKAGING  
20

PACKAGING VOLUME UNIT  
MMQ

UNITARY PACKAGING VOLUME  
0

PACKAGING HEIGHT  
70

PACKAGING GROSS WEIGHT  
0.258

UNITARY PACKAGING GROSS  
WEIGHT  
0.009

PACKAGING WIDTH  
93

PACKAGING NET WEIGHT  
0.18

PRODUCT NET WEIGHT  
0.009

PACKAGING LENGTH  
140

PACKAGING WEIGHT UNIT  
KGM