
# Metal screed for metallic floor boxes 3 double modules 500 Cima or 6 modules K45 on concrete floor installation

REF. **KGH601/8**



## BASIC INFORMATION

### DESCRIPTION

The new range of metallic floor boxes by Simon has been developed to be installed in spaces that require supporting heavy loads, offering the possibility of being configured with power, voice, data, and multimedia functions while maintaining their optimal performance. The product design, the type of material used, and its thickness allow it to meet the high load requirements of buildings in the tertiary sector, such as airports, offices, retail stores, train stations, museums, hotels, hospitals, dealerships, and spaces with high foot traffic, such as universities, schools, and shopping centers... With the Simon metallic floor box range, you achieve a safe, robust, and solid installation.

| FINISH | MATERIAL | ETIM CLASS |
| --- | --- | --- |
| Stainless steel | Stainless steel | EC000114 |

## TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

No

NUMBER OF CLAMP-HOLDER HOLES

20

IK CLASSIFICATION

10

IP RATING

IP4X

KIT AVAILABILITY

No

MAXIMUM LOAD (KG)

1200 Kg

RECESS DIMENSION (MM)

150 x 248 mm

## INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

INSTALLATION DIRECTION

Horizontal, Vertical

# LOGISTICS INFORMATION

UNITARY EAN CODE
8421053329429

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
1.806

PRODUCT NET WEIGHT
1.806

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053329429

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
370

PACKAGING WIDTH
245

PACKAGING LENGTH
145

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
13.144

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
2.184

PACKAGING NET WEIGHT
1.806

PACKAGING WEIGHT UNIT
KGM