

RJ12 telephone socket with 6 contacts graphite Simon 27 Play

REF. 27481-38



BASIC INFORMATION

DESCRIPTION

Attractive, functional and highly innovative. The Simon 27 Play series includes all kinds of products with which you can change the look of your home or workplace practically at the moment, just by pressing the rocker or cover and with interchangeable sleeves that enable this change of image with a single click. The product belongs to this series that we present here. This telephone socket with 6-pin RJ12 connector pins and type of graphite typology of Category 3. It has two modules and is made in the different elements of metal, all of the highest quality certified in quality control, with halogen-free insulation. The trim, in thermoplastic. It measures 45x45 mm, being the wire cross-section of 0.3 to 0.5 mm and the stripping of the wire, it is recommended that it be of 12 millimetres. Suitable for position, place in surface and flush mounting, refer to the directions for installation.

FINISH

Graphite

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ12

NUMBER OF CONTACTS

6

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

RJ

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

Category 3

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252291

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

1201200

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.265

PRODUCT NET WEIGHT

0.265

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053075494

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

52

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.012

PACKAGING VOLUME UNIT

HLT

PACKAGING GROSS WEIGHT

0.265

PACKAGING NET WEIGHT

2.65

PACKAGING WEIGHT UNIT

KGM