

Flat voice and data faceplate with dust cover, 1 RJ45 Cat 6A FTP female-to-female connector, white, Simon K45

REF. K96AFF/9



BASIC INFORMATION

DESCRIPTION

Simon K45 white voice and data faceplate, flat 1-gang with dust cover and Cat 6A FTP RJ45 female-to-female connector. Ideal for safe and tidy network installations in professional or home environments.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combining with K45 to 500 Cima adapter ref. 50012088-030).

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

CONNECTOR TYPE

RJ45

IP RATING

IP20

PLATE TYPE

Flat

FORMAT

RJ45

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

INSTALLATION AND MAINTENANCE

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053341292

PACKAGING VOLUME
9261000000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
650

PACKAGING GROSS WEIGHT
3.42

UNITARY PACKAGING GROSS
WEIGHT
0.342

PACKAGING WIDTH
1550

PACKAGING NET WEIGHT
2.7

PRODUCT NET WEIGHT
0.27

PACKAGING LENGTH
2100

PACKAGING WEIGHT UNIT
KGM