


Buzzer 250 V~ Simon 75

REF. 75806-39



BASIC INFORMATION

DESCRIPTION

Buzzer 250 V~ Simon 75, a sound signal mechanism designed to provide a clear and reliable sound response in residential and professional installations. Its integration into the Simon 75 series ensures aesthetic and functional consistency in any space. With a screw terminal connection system for a secure and stable connection, this electric bell is ready for precise installation in a universal flush-mounted or surface box, maintaining a clean and aligned installation. Made with metallic components and halogen-free thermoplastic insulation, it combines safety, durability, and visual balance in every detail.

MATERIAL

Plastic, Metal

COMPATIBLE WITH MECHANICAL PUSH BUTTON

Yes

ETIM CLASS

EC002484

COMPATIBILITY

Marcos Simon 75, Simon 82
Detail, Simon 82 Nature, Simon
82 Concept and Simon 82

PACKAGING CONTENTS

Buzzer 230V~

REMARKS

For a correct installation, a flush-mounted universal box needs to be used. If it is not available, use a surface socket.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

LINKABLE

No

STORAGE TEMPERATURE RANGE (°C)

-20 - 75 °C

ACOUSTIC FUNCTION

Yes

MONOBLOCK

No

VERSION

Single

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

NOMINAL VOLTAGE (V~)

230 V~

VOLTAGE (V~)

230 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

NUMBER OF WIRES

2

INDICATOR FUNCTION

No

POWER SUPPLY (V~)

230 V~

IP RATING

IP20

RECESS DIMENSION (MM)

40

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Included

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REMOVAL OF COVER

Only with tool

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 62080:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256404

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

3017190

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.08

PRODUCT NET WEIGHT

0.08

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053005149

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

165

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3017190

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.8

PACKAGING NET WEIGHT

0.8

PACKAGING WEIGHT UNIT

KGM

