TV socket single IEC female with trim plate aluminium Simon K45

REF. **K102B/8**



BASIC INFORMATION

DESCRIPTION

The series Simon K45 is presented as one of the most complete collections of mechanisms of workplace solutions for professional environments. And not imported the size or the shape of the workplace, since Simon K45 is loaded multiple solutions for any space or ambience. The K45 solutions that offers us, go from Teleblocks, metal enclosures, columns and mini-columns, electrical sockets and plates for voice, data and multimedia or fiber optics... everything you can imagine to create a workplace full and quick and easy. Between the plates for multimedia connections, we find this single socket, female IEC type for TV. It is half an element and has a sober finished in aluminium. It is designed for both surface-mounted and to be recessed and is connected by welding. For this plate is recommended not to use a wire of over 90 metres.

FINISH

Aluminium

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-033)

PACKAGING CONTENTS

Single TV socket, female IEC

ETIM CLASS

EC000439

REMARKS

Maximum wire length recommended; 90 metres (RG-6 cable). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 6 to 8 mm

CONNECTOR TYPE
TV

NUMBER OF CONTACTS
1

NUMBER OF POSSIBLE ELEMENTS
1/2 element

FORMAT
IEC

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
1

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-033)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 + A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
91140

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.141

PRODUCT NET WEIGHT
0.141

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436046436

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.41

PACKAGING NET WEIGHT
1.41

PACKAGING WEIGHT UNIT
KGM