


Cover for inductive sockets R / TV + SAT and RJ45 voice and data gloss black Simon 100

REF. 10000072-138



BASIC INFORMATION

DESCRIPTION

In an elegant black color with a quartz effect, the protector of the R-TV + SAT inductive sockets of the Simon 100 series also includes RJ45 data and voice sockets. Specially designed for easy assembly, it is easy to press into the part to be covered. It is also made of PMMA with a thermoplastic base, one of the strongest materials on the market, allowing the blanket to operate safely in temperatures between 0 and 40°C, and also withstanding maximum temperatures of -25 at 75°C. All this in accordance with the current standards EN 50083-2: 2012, EN 50581: 2012, EN 50581: 2012, EN 50173: 2011, ISO / IEC 11801 Ed 2.2, IEC 60603-7-2 Ed 2.0, IEC 60603-7 -3 Ed 2.0, IEC 60603-7-4 Ed 2.0 and TIA 568 C. 2. To keep the cover in good condition, it is recommended to clean it with a soft cloth slightly dampened with soapy water, never use abrasive product. that contain chlorine, as they could seriously damage the result and the finish of the material.

FINISH

Gloss black

COMPATIBILITY

Mechanisms Simon 100

ETIM CLASS

EC002906

MATERIAL

Plastic

PACKAGING CONTENTS

Lid

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

R/TV,RJ45,SAT

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

VERSION

Unique

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012 + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-4:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053145401

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053145401

PACKAGING VOLUME

51122.5

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

10

PACKAGING GROSS WEIGHT

0.025

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

71.5

PACKAGING NET WEIGHT

0.025

UNITARY PACKAGING GROSS
WEIGHT

0.025

PACKAGING LENGTH

71.5

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.025