

## Composable group of 2 IP55 10AX two-way switches with integrated light indicator and gray quick trim Simon

REF. 4400394-035



### BASIC INFORMATION

#### FINISH

Grey

#### COMPATIBILITY

Simon 27 Mechanisms

#### ETIM CLASS

EC001590

## TECHNICAL INFORMATION

### IK CLASSIFICATION

07

### IP RATING

IP55

### MONOBLOCK

Yes

### INDICATOR FUNCTION

Yes

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

7035

### CURRENT (A)

10 AX

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

11

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018\*1 | IEC 60884-1 Ed. 3.2\*2 | UNE 20315-1-1:2017\*2 | UNE 20315-1-2:2017\*2 | EN IEC 60670-1:2021 + A11:2021\*3 | EN IEC 63000:2018

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING GROSS  
WEIGHT

0.088

PACKAGING LENGTH

222

UNITARY PACKAGING WIDTH

0

PRODUCT NET WEIGHT

0.088

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING VOLUME

1584636

UNITARY PACKAGING  
MEASUREMENT UNIT

MMT

PACKAGING EAN

8421053298534

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME  
UNIT

MMQ

PACKAGING HEIGHT

86

PACKAGING NET WEIGHT

0.44

PACKAGING WIDTH

83

PACKAGING WEIGHT UNIT

KGM