


French socket outlet 16A 250V~ with screw terminal connection system Simon 28

REF. 26458-39



BASIC INFORMATION

DESCRIPTION

French socket-outlet of the series Simon 28, with a current of 16 A, a voltage of 250V system and screw terminal connection. It works by insertion and the format is a two-pole whose covers include the child protection function. With 1 element and supports a wire cross section of 1.5 to 2.5 mm and it can be installed in rooms with a temperature located between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. It is made of metal components with halogen-free thermoplastic insulation, a material that is very easy to clean and keep it in perfect condition. The series Simon 28 offers a perfect integration, since its frame curvilinear is integrated in a discreet in the project architectural, with a different design and with a character own. Moreover, its white finish is used to respond to the projects in which you want to discretion and integration.

COMPATIBILITY

Simon 28 frames

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

CURRENT (A)

16 A

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Insertion

VERSION

Single

FORMAT

French

MONOBLOCK

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | IEC 60884-1 Ed 3.2 | UNE 20315-1-1:2017 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3017190

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.065

PRODUCT NET WEIGHT
0.065

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053018026

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
223

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3017190

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.645

PACKAGING NET WEIGHT
0.65

PACKAGING WEIGHT UNIT
KGM