


Pull-cord push-button switch 10A 250V~ with fast terminal connection system

REF. 75153-39



BASIC INFORMATION

DESCRIPTION

The special control mechanisms for the everyday lives both in their homes and in its work stations, e.g. if our facilities have the Push-button switch handler push buttons with an intensity of 10A and voltage 250V~ with quick terminal connection system of the Simon 75 series, the lifetime will be easier. This mechanism is suitable both for installation in a baseboard in surface-mounted or flush-mounted box with on the wall. The system supports a cable section 0'2 to 0'5 mm and it has a stripped wire 13 mm. The key to their duration over time without losing any of its features and qualities? Having been designed with the best metal components with halogen-free thermoplastic insulation, complying with the motto that has accompanied Simon since its beginnings: Always offering the highest quality at the best price.

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 and Simon 88 frames

PACKAGING CONTENTS

Mechanism

ETIM CLASS

EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 A

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

IP RATING

IP20

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pull cord

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN IEC 61058-1:2018 | EN 61058-2-1:2011 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3409560

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.076

PRODUCT NET WEIGHT
0.076

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053026229

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
252

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3409560

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.76

PACKAGING NET WEIGHT
0.76

PACKAGING WEIGHT UNIT
KGM