

Modular luminaire 726 120x30 NW DALI

REF. 72661333-884



BASIC INFORMATION

DESCRIPTION

In the catalogue of indoor lighting of Simon, it is possible to find modular luminaires some of the highest quality, functionality and versatility. This one, in particular, is the modular Luminaire 726 120 x 30, with LEDs in neutral tone (NW) commitment to an electrical control DALI and its optics is Opal. This luminaire Simon has a colour temperature of 4000 K and 3200 lumens. Its power is 39 W and its power supply is 100-240 V commitment to a finished in aluminium colour, which makes it stylish and modern in equal parts. The weight of the total modular luminaire is 2,6 kilos and has dimensions of 1195 x 295 millimetres. Must be installed in a false ceiling with hardware. It can withstand temperatures variables, ranging from the most low (-15 degrees) and the highest (+ 50 degrees). Simon is a sure bet and quality for the indoor lighting.

DIFFUSER MATERIAL

PMMA

PACKAGING CONTENTS

1 unit

APPLICATION

General lighting

ETIM CLASS

EC002892

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

3200 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 2

LUMENS/W

3200 lm/39W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

No

OPTICS

General

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

4000 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

39 W

CONTROL

DALI

COLOR TYPE

NW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

82 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Plaster ceiling, surface mount, flush mount, concealed profile and suspended

MINIMUM INSTALLATION HEIGHT

250

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

False ceiling, visible hardware

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053194188

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

3.2

PRODUCT NET WEIGHT

2.4

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053194188

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

1281

PACKAGING WIDTH

40

PACKAGING LENGTH

350

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2579500

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

3200

PACKAGING NET WEIGHT

2.4

PACKAGING WEIGHT UNIT

KGM