

## Simon SM34 Wall Charging Point with T2 Socket Single-Phase 7.4 kW + Bluetooth + Automatic and Differential

REF. 0651041-100



### BASIC INFORMATION

#### FINISH

Graphite

#### APPLICATION

Residential

#### ETIM CLASS

EC002883

#### MATERIAL

ABS Plastic

#### OPERATING ENVIRONMENT

Residential

## TECHNICAL INFORMATION

### CONNECTOR TYPE

Type 2 Socket

### CURRENT (A)

32 A

### MODE 3 STATUS INDICATOR

Yes

### FREQUENCY

50 Hz

### IP RATING

IP54

### NUMBER OF OUTLETS

1

### IK CLASSIFICATION

10

### TYPE OF LINE

Single-phase

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED\*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2\*1

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053301302	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053301302	PACKAGING VOLUME 11379555
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 165	PACKAGING GROSS WEIGHT 2.9
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 237	PACKAGING NET WEIGHT 2.9
UNITARY PACKAGING GROSS WEIGHT 0	PACKAGING LENGTH 291	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 2.9		