

Simon iO 3-wire phase-cut electronic dimmer switch 230 V~ matt white Simon 270

REF. 21000321-190



BASIC INFORMATION

FINISH

Matt white

SYMBOL

"+/-"

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 270 frames

COMPATIBLE WITH 230V INCANDESCENT AND HALOGEN LAMPS (W)

240 W

COMPATIBLE WITH MECHANICAL PUSH BUTTON

Yes

ETIM CLASS

EC000025

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

FREQUENCY

50 - 60 Hz

MAINTENANCE

Clean with a soft cloth and soapy water. Do not use abrasive cloths and/or cleaners containing chlorine.

POWER SUPPLY (V~)

230 V~

INDICATOR FUNCTION

Yes

RAL

9003

CURRENT (A)

10 AX

MAXIMUM QUANTITY PER CIRCUIT

5 (without light or indicator)

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

7

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED | EN 50428:2005 | EN 50428:2005 A1:2007 | EN 50428:2005 A2:2009 | EN IEC 63000:2018 | ETSI EN 300328 V2.2.2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053315576

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053315576

PACKAGING VOLUME

242000

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

80

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

55

PACKAGING NET WEIGHT

0.081

UNITARY PACKAGING GROSS
WEIGHT

0.081

PACKAGING LENGTH


55

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.081



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet